

NUMINA

Home | Security | IP Video Management | Software

NUMINA

Video Management Software, for eneo NT, NX, NL,

Client/Server, ONVIF

Art-Nr. 93171



SLD Security & Communications

Main Features

Efficient, stable and fast network accessibility
Simultaneously view/record up to 32 (64) cameras
Full image function
Continuous, scheduled, alarm & motion record modes
Bi-directional audio support
Multiple search functions for record events

Software set up & programming via network
Arbitrary access on live pictures
Enables control of PTZ and dome cameras
Alarm alert function (display)
Password protected

Specifications

Software Type	management software for up to 64 N-series cameras and servers
Software Categorie	Video Management, Freeware
Series	eneo NT, eneo NL, eneo NX, eneo GX
Application	client/server architecture
Operation system	Windows XP, Windows 7
Number of HDD (internal)	approx. 40Gbyte (depend on configuration level)
System requirements	processor: Pentium IV, Core2-Duo; 2,8GHz, Microsoft Windows XP, Vista, Windows7, CPU Intel® Core™ 2 Duo Processor or higher, RAM 4GB or larger, network Ethernet (100 Mbit or higher), Graphics Adapter AGP 8x, PCI Expressx2, 1680x1050, ATI Radeon HD350, nVidia 9800GT or higher, Hard Disk SATA2 500GB (200GB free), Software Microsoft DirectX 9.0 or newer, Microsoft Internet Explorer 6.0 or later
Licence	Freeware as a bundle with eneo hardware or via download after registration

NUMINA

(Continuation Specifications)

Licensing type	frei usage
Licensing method	unlimited
Demo version	Freeware
Languages (client)	English, Japanese
Support of mobile units	n/a
Alarm management	automatic dome camera control, Siren, alarm in and output, yes
Control units (external)	keyboard, mouse
Decorder support	no
Site maps	yes
Multi monitor operation	yes
PTZ support	yes
Recording format	MJPEG, MPEG4, H.264
Playback format	H.264, MPEG4, MJPEG
Recording settings	choosable per channel
Recording functions	time triggered, event triggered, permanent, motion detector, contact
Supported network suppliers	eneo N series
Supported video sources	network camera, network encoder
Support of video grabbers	no
Compression standard	H.264, MPEG-4, MJPEG
Managable video sources max.	64, 32 (recommended)
Remote access	browser, remote software
OPC connection	no
Analysis mode	no
Activity detection	yes
Obstruction detection	no
Product training	available
ONVIF	core specifications 1.01
Backup	yes

SLD Security & Communications
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England
Phone +44.1483225633 · Fax +44.1483225634
sales@sld.co.uk · www.sld.co.uk

